

Safety Data Sheet
per OSHA HazCom 2012**1 Identification****Product identifier****Product name:** Nickel arsenide**Stock number:** 36268**CAS Number:**
27016-75-7**EC number:**
248-169-1**Index number:**
028-051-00-4**Relevant identified uses of the substance or mixture and uses advised against.****Identified use:** SU24 Scientific research and development**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com**Information Department:** Health, Safety and Environmental Department**Emergency telephone number:**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification**Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)**

GHS08 Health hazard

Carc. 1A H350 May cause cancer.

STOT RE 1 H372 Causes damage to the lung, the kidneys, the liver, the respiratory system, the blood and the immune system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified No information known.**Label elements****GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)**Hazard pictograms**

GHS07 GHS08

Signal word Danger**Hazard statements**

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H372 Causes damage to the lung, the kidneys, the liver, the respiratory system, the blood and the immune system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2A - Very toxic material causing other toxic effects

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 1 Physical Hazard = 1

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterization: Substances****CAS# Description:**

27016-75-7 Nickel arsenide

Identification number(s):**EC number:** 248-169-1**Index number:** 028-051-00-4

Product name: **Nickel arsenide**

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Arsenic oxides (As₂O₃)

Toxic metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

During heating or in case of fire poisonous gases are produced.

The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Arsenic, elemental, and inorganic compounds (except arsine), as As

mg/m³

ACGIH TLV 0.01; Carcinogen

Belgium TWA 0.2

Denmark TWA 0.05

Finland Carcinogen

France VME 0.2

Hungary TWA 0.5; Carcinogen

Ireland TWA 0.1; Carcinogen

Korea TLV 0.01; Carcinogen

Netherlands TWA 0.05; 0.1-STEL

Norway TWA 0.02

Poland TWA 0.1

Sweden NGV 0.03; Carcinogen

Switzerland TWA 0.1; Carcinogen

United Kingdom TWA 0.1; Carcinogen

USA PEL 0.5

Nickel and inorganic compounds, as Ni

mg/m³

ACGIH TLV 1.5, A5-inhalable particulate (metal)

0.2, A1-inhalable particulate (insoluble compounds)

0.1, A4-inhalable particulate (soluble compounds)

Austria Carcinogen

Denmark TWA 0.5

Finland TWA 0.1 (skin) Carcinogen

(Contd. on page 3)
USA

Product name: Nickel arsenide

(Contd. of page 2)

France VME 1; C3-Carcinogen
Germany Carcinogen
Hungary 0.005-STEL; Carcinogen (insoluble compounds)
Japan 1; 2B-Carcinogen
Korea TLV 1.5
Netherlands MAC-TGG 1; Carcinogen
1 (insoluble compounds)
Norway TWA 0.05
Poland TWA 0.25
Russia 0.05-STEL
Sweden NGV 0.5 (dust)
Switzerland MAK-W 0.5; Carcinogen
United Kingdom TWA 0.1
USA PEL 1

27016-75-7 Nickel arsenide (100.0%)

PEL (USA) Long-term value: 1 mg/m³
as Ni
REL (USA) Long-term value: 0.015 mg/m³
as Ni; See Pocket Guide App. A
EV (Canada) Long-term value: 0.1 mg/m³
Inhalable fraction, as Ni

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.
Refer to 29CFR1910.1018 for regulations on respiratory protection required during exposure to inorganic arsenic.

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Crystalline aggregates
Color: Black
Odor: Odorless
Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: Not applicable
Flammability (solid, gaseous): Not determined.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined
Upper: Not determined
Vapor pressure: Not applicable.
Density: Not determined
Relative density: Not determined.
Vapor density: Not applicable.
Evaporation rate: Not applicable.

Solubility in / Miscibility with

Water: Insoluble
Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable.
kinematic: Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Arsenic oxides (As₂O_x)
Toxic metal oxide fume

Product name: **Nickel arsenide**

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

May cause cancer.

EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

Carcinogen as defined by OSHA.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:

Causes damage to the lung, the kidneys, the liver, the respiratory system, the blood and the immune system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Other information (about experimental toxicology): Tumorigenic effects have been observed on tests with laboratory animals.

Subacute to chronic toxicity:

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne nickel contaminated dusts are regarded as carcinogenic to the respiratory tract.

Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death.

Chronic arsenic poisoning may cause disturbances of the digestive system such as loss of appetite, cramps, nausea, constipation or diarrhea.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation: Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA

UN3077

UN proper shipping name

DOT

IMDG

IATA

Environmentally hazardous substances, solid, n.o.s. (Nickel arsenide)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel arsenide), MARINE POLLUTANT
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel arsenide)

Transport hazard class(es)

DOT, IMDG, IATA



Class

Label

Class

Label

9 Miscellaneous dangerous substances and articles.

9

9 (M7) Miscellaneous dangerous substances and articles

9

Packing group

DOT, IMDG, IATA

III

Environmental hazards:

Marine pollutant (IMDG):

Special marking (ADR):

Special marking (IATA):

Symbol (fish and tree)

Symbol (fish and tree)

Symbol (fish and tree)

Special precautions for user

EMS Number:

Warning: Miscellaneous dangerous substances and articles

F-A,S-F

(Contd. on page 5)
USA

Product name: Nickel arsenide

(Contd. of page 4)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

Remarks:

No

Special marking with the symbol (fish and tree).

UN "Model Regulation":

UN3077, Environmentally hazardous substances, solid, n.o.s. (Nickel arsenide), 9, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS07 GHS08

Signal word Danger

Hazard statements

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H372 Causes damage to the lung, the kidneys, the liver, the respiratory system, the blood and the immune system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

This product contains a chemical known to the state of California to cause cancer and/or reproductive toxicity.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

27016-75-7 Nickel arsenide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

27016-75-7 Nickel arsenide

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

This product contains arsenic and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations Refer to 29CFR1910.1018 for regulations concerning inorganic arsenic.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMSI: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)